



**Find Out Why
Demanding Clients
Demand B.I.G.**

321 CUSTOM BOOTH STYLES AND GROWING



Find Out Why Demanding Clients Demand B.I.G.

WELCOME TO B.I.G. ENTERPRISES

16 Pages of Booths With Security, Style and Utility

- High Security
- Perimeter Security
- Institutional Campus Concerns
- Secure Facility Access
- Architectural Excellence
- Transportation Support
- Protective Shelters

What Do Nuclear Power Plants, Capitol Security and the Department of the Navy Know That You Don't?

What they know is that B.I.G. manufactures the perfect answer to their stringent and custom booth specifications; they have ordered these booths time after time.

Sensitive locations and high security requirements can be a challenge when you're tasked with acquiring the appropriate guard booth. To address any ballistic and blast resistant rating that you require, talk to the people at B.I.G. who deal with these needs on a daily basis.



Ellenwood Guard Booth with Restroom
Model #DS7160A-RR



Sculptured Round End
Model #DRE6120B



Bullet Resistant Guard Booth
Model #DS770AS-BRT



UL8 Bullet Resistant Stainless Fortress
Model #DSS5100AS-BR8



GSA Guard Booth
Model #DSS5676AS-BR



High Security
Model #DC54120B



7

Bullet Resistant Convincer
Model #DS770AS-BRS



8

The Titan
Model #DS7100A



9

The Senate
Model #DS6120BS-BRF



10

Crop Protector
Model #DS116180BS



11

Access Controller
Model #DS54940B-BRF



12

Super Security
Model #DS880AS-BR50AP



13

Stainless Bullet Resistant Guard Booth
Model #DS541040AS-BRE






Find Out Why Demanding Clients Demand B.I.G.



Border Controller
Model #DS360B

1



Park Controller
Model #DS5101060A-BR

2



The Estate
Model #DS55750AS

3



Custom Guard Booth
Model #DS10120AS


4

“THE B.I.G. BOOTHS PROVIDE A VISIBLE, FOCAL DETERRENT AS THE GATEWAY TO OUR AGRICULTURAL FACILITY.”

— Security manager addressing bio-terrorism concerns

As a result of encountering B.I.G. booths at the gateway to a facility, visitors can be visually assured of the seriousness of your security intent. One NASA booth buyer said, “You could look at a booth as a huge overall savings on your security budget. It is the difference between having to pay one person or an entire force. One person can provide security for hundreds of people depending upon their environment.”

In addition to strength, ballistic resistance and great security features, you also want the people who work in the booth day in and day out to be protected and productive. B.I.G. leads the industry in addressing ergonomic challenges of confined spaces, so that personnel are enabled to work harder and do a better job of making your perimeter more secure.



5

Custom Guard Booth
Model #DS6666OAS



6

Port Controller
Model #DS624OBS-RR



7

Trailer Booth
Model #TR460A



8

Deluxe Half Round Guard Booth with Restroom
Model #DHR616A-RR



9

Perimeter Controller
Model #DS8100B-BR



10

Guard Booth with Restroom
Model #DS1118OAS



11

The First American
Model #DC7100B



Find Out Why Demanding Clients Demand B.I.G.



1

Marcus
Model #DSSR66AS



2

The Shelter
Model #DS4100B



3

Deluxe Steel Info. Booth
Model #DS8120B




4

Designer Series
Model #DOP56860A



The Golden Bay
Model #DOP680A



Valet Leesburg
Model #DOP812A



The Hexagon
Model #DS67AS



Park Concession Booth
Model #RR1212A



Standard Beverly
Model #SB48A



Lady Luck
Model #DS714OAS



The Palm
Model #DS58860B

“ B.I.G. BOOTHS ARE OUR FIRST LINE OF DEFENSE, AND OUR GUESTS’ FIRST EXPERIENCE OF HOSPITALITY AND SAFETY.”

—Administrator of a major Arizona campus

When campus safety is your concern, you have several criteria to consider, not the least of which is architectural harmony.

Educational and other institutions all across the country are exceptionally happy with their custom B.I.G. booths because they blend in with the surrounding architecture while supporting their security program specifications. Security capability, in a great looking booth, is a definite strength at B.I.G.



Find Out Why Demanding Clients Demand B.I.G.

“IF B.I.G. WASN'T THE BEST IN THEIR INDUSTRY, WE WOULDN'T USE THEIR BOOTHS TO GUARD ACCESS TO OUR FACILITIES.”


—Fortune 500 company

Granting access to your facility, toll-way or park is an important action. Your customers and employees are making judgments and decisions about you through what they experience and see as they enter your property.

Creating good impressions about safety and security is a particular strength of the team at B.I.G. You know your perimeter is only as good as its weakest point, so first you identify the most vulnerable areas to control access to your facility or campus. Then, we mix your requirements with functionality, design and convenience to produce the perfect answer for your particular location—treating it with the individual respect that your situation deserves.




Guard Booth with Pedestrian Area
Model #DS99990C



Deluxe Ocean Park with Restroom
Model #DOP7180B-RR



Custom Cashier Booth
Model #DC568A



2-Story Stainless Toll Booth
Model #DSS411B



Park La Brea
Model #DRE55130B



Designer Series
Model #DC54740B



Deluxe Guard Booth with Thin Brick
Model #DOP7100B




Stainless Guard Booth with Thin Brick
Model #DS46AS



The Contender
Model #DS8190A-RR



Custom Entry Booth
Model #DRE4136B



The Sentinel
Model #DS5584B



Deluxe Half Round
Model #DHR590B




13


Slope Front Trooper
Guard Station
Model #DS11160BS



Find Out Why Demanding Clients Demand B.I.G.



Studio Guard Booth
Model #DS8170D



Harrisburg
Model #DOP66A




The Kensington
Model #DS680AS



Georgetown Guard Booth
Model #DS6860BS



Custom Valet Booth
Model #DOP880B




The Arrowhead
Model #DS10110AS



Halo
Model #DRR77AS



Parking/Information Kiosk
Model #DS880A



Rhode Islander
Model #DS990AS



Stainless Steel Round End
Model #SSDRE54104AS



Custom Attendant Booth
Model #DOP46A



Ellenwood
Model #DC680B

“WE SELECTED B.I.G. FOR THEIR LOOK BECAUSE THEY HAVE AN ARCHITECTURAL QUALITY THAT OTHERS LACK.”

—Major cruise line

Consistency of concept is a key element of what architects are taught—make the design statement successful.

If your gatehouse, guard booth or traffic control booth doesn't blend with the rest of the project's architecture, it is making a statement of its own—which is probably not a good thing. B.I.G. offers hundreds of styles because every building complex and function is unique.

In working with B.I.G., one Arizona architect said, “Most fabricators don't do what you ask. But with B.I.G, exactly what you draw comes to life. It's an architect's dream.”



The Vista
Model #DS9160AS



Find Out Why Demanding Clients Demand B.I.G.




1

Custom Guard Booth
Model #DOP7140B-RR

WHAT DOES CHICAGO O'HARE, CHRYSLER CORPORATION AND FEDEX KNOW THAT YOU DON'T?

The B.I.G. guard booths that interact with their customers must be functional on many levels and clearly communicate positive strengths of their business look and feel. So they have ordered them time after time. In short, they know and trust B.I.G.

Your customers are going in all directions and require diverse support systems. Unusual shape, distinctive detail and finish are all tools that enable B.I.G.'s engineering staff to accurately define your corporate message in 3-D. You may feel that you're ordering a booth, but we are delivering your message to your customers and visitors.



2

Rental Car Return Booth
Model #DC7610AS




3

Custom Ticket Booth
Model #DS880AS



The Doubletree
Model #SC680B




The Hornblower
Model #DS8220AS



Airport Cashier
Model #DC480A



Ground Transportation Booth
Model #DRR110AS



Railroad Controller
Model #DS8160BS



Standard Steel
Model #DC46A



Scale Controller
Model #DS8200BS



Handicap Cashier Booth
Model #SC5575A



Find Out Why Demanding Clients Demand B.I.G.

“WE DIDN’T WANT STANDARD SHELTERS. WE WANTED WELL-LIT, AIRY, LARGE, ADA-FRIENDLY ENCLOSURES. OUR B.I.G. SHELTERS PERFORM REALLY WELL.”

—State of Oregon

No matter what size or location, you need people protection. Open sides, closed sides, doors or no doors, HVAC or not, your shelter must withstand the weather, the traffic and the public.

B.I.G. gives you the confidence to create a durable enclosure that can be exceptionally strong and still be designed to compliment the style of your surroundings. With B.I.G., you can send the message that you care about protecting people, as well as design and style.




Transit Shelter
Model #TS610BDM




Airport Shuttle Shelter
Model #TSS1020



The Emeryville
Model #TS1010DM




Transit Shelter With Standing Seam Hip Roof
Model #TS6140SS



Stainless Steel Transit Shelter
Model #SSTS510



Glass Block Shelter
Model #TS515GB



7

The Biola
Model #TS810



8

Standard Transit Shelter With Pyramid Roof
Model #TS512PR



9

Architectural Transit Shelter
Model #TS610



10

Airport Shuttle Shelter
Model #TS561260B



11

Standard Transit Shelter With Dome Roof
Model #TS512DM



12

Custom Smoke Shelter
Model #TS812168DM

PRODUCT OVERVIEW:

- For over forty years, B.I.G. has manufactured ready-to-use, fully finished and wired booths in standard styles with multiple variations.
- SIZES: The typical B.I.G. order ranges from 3'x3' to 12'x20'. Parking shelters average 4'x6' to 6'x8'. Security shelters run 5'x9' to 10'x20'. B.I.G. has the capability of building booths up to 500 sq. ft. in modular units.
- INSTALLATION: These units are so simple to install that anyone can do it. With our National Dealer Network, we can provide referrals to handle installation.

• **TECHNICAL/CODES:** All units are manufactured to comply with U.B.C. and N.E.C. We are U.L. LISTED and have been accepted under most major area building codes.



• Govt. Cage Code: OW252 B.I.G. has state approval and fabricating licenses in many states that require licensing of pre-assembled building manufacturers. Members of: CPPA - ASIS - IMPC NPA - ECOSA - NFPA



A.D.A. COMPLIANT
15 years of disabled access experience.

• EXTERIOR USAGE: All units are constructed for exterior usage (inside units may be safely relocated outside).

• WIND LOAD: Units are built up to 150 mph wind load, or specify your requirements. B.I.G. booths have withstood 220 mph super typhoon winds without any damage.

• FLAME/SMOKE: Steel is non-combustible. Standard units are rated class A, and exceed flame/smoke test of 25/50, respectively.

• WARRANTY: All B.I.G. products carry a written warranty. Products by other manufacturers are covered by their respective warranties. (Copies are available.)

• DRAWINGS: Detailed drawings of standard designs available on request. Working sketches of concepts to meet your needs are a phone call away.

We have our own CAD system.

• DELIVERY: Upon request of customer.

• MAINTENANCE: Unit requires normal housekeeping and periodic washings of exterior. All units ship with recommended maintenance instructions and component part numbers for damage repair.

All products and specifications subject to change without notice.



Specifications

FRAME:

2"x2" cold drawn electro-welded structural mechanical steel tubing. *Advantages: Frameless appearance/Easy replacement pans/Structural integrity.*

ROOF:

Galvanized steel, structurally supported according to size and load requirements. Overhangs and/or fascias of all sizes available. *Advantages: Heat reflective/Designed for all weather conditions*

WALLS:

16 ga. cold rolled galvanized steel pan-shaped panels MIG welded between frame and mullions for self-aligning unitized system, creating a structural diaphragm. This construction method, Pan and Post, was introduced into the market by B.I.G. *Advantages: Sculptured look/Easy replacement of walls if ever damaged/Weathertight system/Unitized strength.*

FLOOR:

Booths can be set on a concrete pad (by others) which is a no-floor system typically for interior use and ADA access. Standard floor is 11ga. Steel covered with 1/8" thick x 19" square industrial rubber tiles and 4" base cove. Other floor options include

aluminum diamond plate, non-skid paint or sheet vinyl. All floors will have weather resistant B.I.G. Tru Trak™ threshold and can be mounted on 1", 2", 3", or 6" Steel Base. All booths include welded engineered Steel Drilled Anchor Plates.

Advantages: Design flexibility to meet special needs such as handicap. Insulated/Longevity/Handsome appearance.

DOORS:

All steel structural tube frame with galvanized steel panels with safety glazing. Sliding doors are top suspended on a minimum of eight 2 1/4" diameter steel no-maintenance ball-bearing rollers in steel track, with high-security pocket jamb, stainless steel lower guide, stainless steel pull/push handles welded to the door frame, laminated mortise lock, and weather-stripping. Swinging, Dutch, or Bi-fold doors are also available.

Advantages: Steel doors are standard on all B.I.G. booths. B.I.G. is exclusive provider of steel rollers and steel tracking systems. Aesthetically pleasing/Super secure/Less maintenance/Easy adjusting.

WINDOWS:

16 ga. galvanized steel window frame system (painted to match booth) with flush mounted corners and welded fastening. Tempered clear safety glass throughout, interior anodized

aluminum glass stops with heavy duty fasteners.

Advantages: Aesthetically superior/Super secure/Less soot or grime build-up/Easy replacement of glass.

SHELVING:

Heavy duty steel shelves with factory finish. Shelves are rated at 250 lb. plus load. Standard size is 20" deep.

ELECTRIC SYSTEM:

U.L. approved Load Center, heater, lights wired to N.E.C. standards. Surface mounted EMT raceways. Load Center is 125 Amp 120/240 volt, single phase, 3 wire 8 or 12 pole flush-mounted in sheet metal cabinet for concealing site connections. Duplex outlets and fluorescent lights with single pole wall switch. *Advantages: All booths come pre-wired and ready for installation.*

HEATER/AIR CONDITIONER:

Units typically include a commercial through the wall HVAC by General Electric or equal with 11,600 BTU cooling and reverse cycle heating. If no air conditioner is required, all units come standard with a fan-forced electric heater 1500 watts 5120 BTU with thermostat. Larger sizes available. *Advantages: Flush mounted for longer life/Circulates heat evenly/Manual reset overload protection.*

FINISHES:

Rust-inhibitive, high-build epoxy primer and two-part polyurethane finish coat. Superior impact, fade resistant as well as graffiti and chemical resistant. Exceeds 1500 hour salt test and 75 Tabor test.

Advantages: 10 standard colors or optional computer color matching system/Graphics, multi-colors also available.

WEATHER PROOFING:

All booths are weather-tight for interior or exterior use. All seams and joints are pressure bondered. All openings are fully weather-stripped. Roofs have heat reflective elastomeric membrane. Floor underside is coated.

Advantages: Teflon fabric over urethane foam for long life. Easy replacement/Excellent energy and sound efficiency.

INSTALLATION:

Units are shipped fully assembled, fully wired, fully glazed and thoroughly painted. Position units over electrical stub-up on level pad. Drill and set 4 expansion-type anchor bolts. Connect power and seal around edges where the floor base meets concrete pad, and that's it. Careful attention and coordination of electrical stub-outs will save many man hours.

Advantages: Simplified installation/Instant useability/Easy relocation.

Options

You design it, we can build it.

BULLET RESISTANT: From U.L. Level 1 to .50 caliber A.P. & blast protection.

One or More Sides, Transaction Drawers, Transaction Trays, Gun Ports, Locks, Interior and Exterior Intercom, Hardening of Floors and Hatches, Hardening of Air Conditioners and other options. Protected Light/Cooling System.

FLOOR:

Aluminum Safety Tread Plate, Steel Safety Tread Plate, Adjustable leveling feet, Armstrong Vinyl, "Safety Tread Crosswalk" flooring, Indoor/Outdoor Carpeting, Flooring of your choice, Forklift Pockets.

ROOF:

Simulated Spanish Tile Mansard Roof (FRP), Translucent Panels, Vaulted, Dome, Hip Mansard, Gables, Stepped Fascia Styling, Rounded Fascia Corners, Rounded Fascia Profiles, High Profile (Equipment Screens).

DOORS:

Steel Swing Doors, Automatic Closer, Inside/Outside slider, Handicap, Roll-up, Dutch, Full-length Glass, Bi-fold, Articulating, Transaction Window in any door.

GLAZING:

Laminated Polycarbonates, Mirror, Acrylics, Dual Pane (to specifications), Handicap-type Windows, Acoustic, Wire Glass, Security Screen, Solar Reflective.

CEILING TREATMENT:

Acoustic Tiles, Grid-Systems, Backlighted Panels.

LIGHTING: (INTERIOR)

Dimmers, Grid-suspended, Fluorescent, Recessed, Track, Solar Lighting (Photovoltaic).

LIGHTING: (EXTERIOR)

Halogen, Quartz, Spot (Dual/Single), Control Lights, Stop and Go Signals, Down Lights, Fluorescent, Recessed, Weatherproof, Vandal-resistant, Backlighted Sign and Message Boards, Intruder Detection System.

HVAC:

Wall-mounted Heat Pump, Wall-aesthetic Treatments, Roof-mount (R.V. Type), High-output Heaters, Combination Systems, Baseboard Heaters, Ventilators, Passive/Powered, Louvers, Thermostat Controls, Exhaust Vents (OSHA), Ceiling Vent Fans.

CABINETS AND DRAWERS:

Stainless Steel, Wood, Custom Commercial Cabinet (to your design).

CASH DRAWERS:

Currency Transfer, Floor safe, Wall-mounted Safe, Drop Safe, Class B Safes or to specification.

RESTROOM FACILITIES:

Lavatory, Frame Only, Complete systems, Self Contained Systems, Commercial Wall-Mount Systems, Handicap Requirements.

CUSTOM FINISHES:

Brick, Stucco, Architectural Exterior Stone Panels, Stainless Steel, Multi-color Treatments, Preparation for On-site Finish.

MISCELLANEOUS:

Pad Eyes for Crane Lifting, Elevated Platforms, Roof Drainage, Down Spouts and Gutters, Scuppers (standard), Insulation to specifications up to R-36, Wall Carpeting (impact resistant), Alarms (Security), Extended Engineering Loads for Roof and Floor up to 200 lbs. per sq. foot, Three-phase Load Center, Electric Panels to specification, Quick Disconnects: Electrical or Phone, Transformers, Equipment Shelters, Electrically-operated Rolling Shutters.

All products and specifications subject to change without notice.



9702 East Rush Street
South El Monte, CA 91733-1730

626-448-1449

FAX 626-448-3598

1-800-669-1449

WEB: www.bigbooth.com

© 2008 B.I.G. Enterprises, Inc.

GSA Approved: GS-07F-0169T